

10/002,060

Attorney Docket No.: 42P12718

Amendments to the Claims

Claim 1. (original) A method of sampling data, comprising:
gathering a first data sample during execution of a program;
executing the program during a random inter-sample period; and
gathering a second data sample following the inter-sample period.

Claim 2. (original) The method of claim 1, wherein executing the program comprises:
generating an inter-sample count; and
decrementing the inter-sample count to zero before gathering the second data sample.

Claim 3. (original) The method of claim 2, further comprising:
performing overhead operations during the inter-sample period.

Claim 4. (original) The method of claim 3, wherein the inter-sample count is longer
than an execution time required to perform the overhead operations.

Claim 5. (original) The method of claim 3, wherein the overhead operations include at
least one of decrementing the inter-sample count, storing a data sample, and performing a
calculation based on a data sample.

Claim 6. (original) The method of claim 1, wherein gathering the first data sample
comprises:

resetting data gathering hardware,
executing the program during a sampling period; and
stopping the data gathering hardware at the end of the sampling period.

Claim 7. (original) The method of claim 1, wherein gathering the first data sample
comprises:

starting data gathering hardware,

10/002,060

Attorney Docket No.: 42P12718

executing the program during a sampling period; and
stopping the data gathering hardware at the end of the sampling period.

Claim 8. (original) The method of claim 7, wherein the data gathering hardware comprises at least one event counter register.

Claim 9. (original) The method of claim 2, wherein generating the inter-sample count comprises:

enabling a linear feedback shift register to produce a bit pattern.

Claim 10. (original) The method of claim 9, wherein the linear feedback shift register is configured to produce a bit pattern that corresponds to a primitive trinomial.

Claim 11. (original) An article comprising a machine-readable medium that stores machine-executable instructions for sampling data, the instructions causing a machine to:

gather a first data sample;

execute a program during a random inter-sample period; and

gather a second data sample following the inter-sample period.

Claim 12. (original) The article of claim 11, wherein instructions causing a machine to execute the program comprises instructions causing a machine to:

generate an inter-sample count; and

decrement the inter-sample count to zero before gathering the second data sample.

Claim 13. (original) The article of claim 12, comprising instructions causing the machine to:

perform overhead operations during the inter-sample period.

Claim 14. (original) The article of claim 13, wherein instructions causing a machine to generate an inter-sample count comprise instructions causing a machine to:

10/002,060

Attorney Docket No.: 42P12718

generate an inter-sample count longer than an execution time required to perform the overhead operations.

Claim 15. (original) The article of claim 13, wherein instructions causing a machine to perform overhead operations include instructions to cause a machine to perform at least one of decrement the inter-sample count, store the data sample, and perform a calculation based on a data sample.

Claim 16. (original) The article of claim 11, wherein instructions causing a machine to gather a first data sample comprise instructions to cause a machine to:

- start data gathering hardware;
- gather the first data sample during execution the program; and
- stop the data gathering hardware.

Claim 17. (original) The article of claim 16, wherein the data gathering hardware comprises at least one event counter register.

Claim 18. (original) The article of claim 12, wherein instructions causing a computer to generate an inter-sample count comprises instructions causing a machine to:

- enable a linear feedback shift register to produce a bit pattern.

Claim 19. (original) The article of claim 18, wherein the linear feedback shift register is configured to produce a bit pattern that corresponds to a primitive trinomial.

Claim 20. (original) An apparatus for sampling data, comprising:

- a memory that stores executable instructions; and
- a computer processor that executes the instructions to:
 - gather a first data sample during execution of an application; and
 - gather a second data sample following an inter-sample period.

10/002,060

Attorney Docket No.: 42P12718

Claim 21. (original) The apparatus of claim 20, wherein the computer processor further comprises:

a decrementing register, wherein the computer processor executes instructions to:
generate an inter-sample count,
store the inter-sample count in the decrementing register, and
decrement the inter-sample count to zero before gathering the second data sample.

Claim 22. (currently amended) The apparatus of claim 21, wherein the computer processor executes instructions to:

perform overhead operations during the inter-sample period, and wherein the application is running during the inter-sample period.

Claim 23. (original) The apparatus of claim 22, wherein the computer processor executes instructions to:

generate an inter-sample count that is longer than an execution time required to perform the overhead operations.

Claim 24. (original) The apparatus of claim 22, wherein the computer processor executes instructions to:

perform overhead operations that include instructions for at least one of decrementing the inter-sample count, storing a data sample, and perform a calculation based on a data sample.

Claim 25. (currently amended) The apparatus of claim 20, wherein the computer processor comprises:

data gathering hardware, and wherein the computer processor executes instructions to:
start the data gathering hardware, wherein starting the data gathering hardware after the inter-sample period is to end the inter-sample period; and
stop the data gathering hardware to commence the inter-sample period.

10/002,060

Attorney Docket No.: 42P12718

Claim 26. (original) The apparatus of claim 25, wherein the data gathering hardware comprises at least one event counter register.

Claim 27. (original) The apparatus of claim 21, wherein the computer processor comprises:

a linear feedback shift register, and wherein the computer processor executes an instruction to enable the linear feedback shift register to produce a bit pattern that corresponds to the inter-sample count.

Claim 28. (original) The apparatus of claim 27, wherein the linear feedback shift register is configured to produce a bit pattern that corresponds to a primitive trinomial.